

## FIBERJACKET HOSE

50 FT | 5/8" | KINK-FREE | SUPERLIGHT BPA-FREE • LEAD-FREE • PHTHALATE-FREE Model AJFJH50-58-MAX-RM

# THANKS FOR YOUR PURCHASE OF A REMANUFACTURED PRODUCT.

To make sure you get the most out of your product, be sure to register online at

## sunjoe.com

to enjoy full product support.

PASTE UPC LABEL HERE

If you have any questions or comments, please call the Snow Joe® + Sun Joe® customer service department at:

1-866-SNOWJOE (1-866-766-9563)



## FIBERJACKET HOSE

50 FT | 5/8" | KINK-FREE | SUPERLIGHT BPA-FREE • LEAD-FREE • PHTHALATE-FREE

Model AJFJH50-58-MAX-RM




If you have any questions or comments, please call the Snow Joe® + Sun Joe® customer service department at:

1-866-SNOWJOE (1-866-766-9563)

#### **Technical Data**

Hose Length	50 ft (15.2 m)
Hose Diameter	5/8 in. (1.6 cm)
Outer Hose Material	Polyethylene Terephthalate
Inner Hose Material	PVC
Connectors Material	Aluminum
Bursting Pressure Max	600 PSI
Working Pressure	100 - 200 PSI
Temperature Rating	Maintains flexibility down to 0°F
Net Weigh	3.5 lbs (1.6 kg)

#### **BPA-FREE • LEAD-FREE • PHTHALATE-FREE**



## **Assembling Hose to Faucet**

- Remove the FIBERJACKET® hose from the package and completely unwind your garden hose.
- 2. Attach any spray nozzle or irrigation accessory to the outlet of the garden hose.
- 3. Attach the garden hose inlet to the water supply of your home.
- 4. Turn on the tap from your home's water supply to the garden hose.

## **Storing Your Garden Hose**

You can store your FIBERJACKET® hose on just about any common hose reel or simply coil it next to your faucet. To extend the life of your hose, store out of direct sunlight.

**NOTE:** When you are finished watering with your FIBERJACKET® hose, release the water pressure before storing. To extend the life of your hose, shut off your water and remove or open the nozzle.

#### **∆WARNING!**

- Although this hose is drinking water safe, the water in ANY garden hose may become contaminated and cause serious health effects. Use caution if drinking water from garden hose.
- Strangulation hazard. Hose wrapped around neck may cause serious injury or death.
- · Keep out of reach of children and pets.
- For general OUTDOOR USE ONLY in applications under 100 - 200 PSI.
- NOT for commercial applications, in hot water applications, or high pressure applications (such as pressure washer).
  Improper use may result in serious personal injury and/or damage or destroy the hose.
- DO NOT leave this garden hose unattended when it is in use or under pressure.
- · NOT a toy.

## Service + Support

If your AQUA JOE® AJFJH50-58-MAX-RM FIBERJACKET® hose requires service or maintenance, please call the Snow Joe® + Sun Joe® customer service center at 1-866-SNOWJOE (1-866-766-9563).

Record the following numbers from the housing or handle of your new product:		
Model #:		
A J J F J J H 5 10 1 - 1 5 1 8 1 - 1 M 1 A 1 X 1 - 1 R 1 M 1		
Serial #:		



#### SNOW JOE® + SUN JOE® REFURBISHED GOODS WARRANTY

#### **GENERAL CONDITIONS:**

Snow Joe® + Sun Joe® operating under Snow Joe®, LLC warrants this refurbished product to the original purchaser for 90 days against defects in material or workmanship when used for normal residential purposes. If a replacement part or product is needed, it will be sent free of charge to the original purchaser except as noted below.

The duration of this warranty applies only if the product is put to personal use around the household. It is the owner's responsibility to correctly perform all maintenance and minor adjustments explained in the owner's manual.

## HOW TO OBTAIN YOUR REPLACEMENT PART OR

To obtain a replacement part or product, please visit snowjoe.com/help or email us at <a href="https://help.goo.com">help.goo.goo</a> eom for instructions. Please be sure to register your unit beforehand to speed up this process. Certain products may require a serial number, typically found on the decal affixed to the housing or guard of your product. All products require a valid proof of purchase.

#### **EXCLUSIONS:**

- Wearing parts like belts, augers, chains and tines are not covered under this warranty. Wearing parts can be purchased at snowjoe.com or by calling 1-866-SNOWJOE (1-866-766-9563).
- Batteries are covered in full for 90-days from the date of purchase.

Snow Joe® + Sun Joe® may from time to time change the design of its products. Nothing contained in this warranty shall be construed as obligating Snow Joe® + Sun Joe® to incorporate such design changes into previously manufactured products, nor shall such changes be construed as an admission that previous designs were defective.

This warranty is intended to cover product defects only. Snow Joe®, LLC is not liable for indirect, incidental or consequential damages in connection with the use or misuse of the Snow Joe® + Sun Joe® products covered by this warranty. This warranty does not cover any cost or expense incurred by the purchaser in providing substitute equipment or service during reasonable periods of malfunction or non-use of this product while waiting for a replacement part or unit under this warranty. Some states do not allow exclusions of incidental or consequential damages so the above exclusions may not apply in all states. This warranty may give you specific legal rights in your state.

#### **HOW TO REACH US:**

We're here to help Monday through Friday from 9AM to 7PM EST and Saturday and Sunday 9AM to 4PM. You can reach us at 1-866-SNOWJOE (1 866-766-9563), online at snowjoe.com, via email at <a href="help@snowjoe.com">help@snowjoe.com</a> or tweet us @snowjoe.

#### **EXPORTS:**

Customers who have purchased Snow Joe® + Sun Joe® products exported from the United States and Canada should contact their Snow Joe® + Sun Joe® distributor (dealer) to obtain information applicable to your country, province or state. If for any reason, you are not satisfied with the distributor's service, or if you have difficulty obtaining warranty information, contact your Snow Joe® + Sun Joe® seller. If in the event your efforts are unsatisfactory, please reach out to us directly.



