# SAFETY DATA SHEET

# Section 1: Product Identification

Product Name	MELT Eco Clean Blend
Identified Uses	Melt Snow and Ice
Supplier's Details	SNOW JOE
	305 Veterans Boulevard, Carlstadt, NJ USA 07072
Phone Number	(866) 766-9563
Emergency Contact (24 Hrs)	(613) 996-6666 CANUTEC
	Section 2: Hazard Identification

Classification (GHS)	Not Classified
GHS Labelling	No Labelling applicable
Percentage	Not applicable
	Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.
Other Hazards	When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged
	contact.

# Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	85.0-99.5%	7647-14-5	Not Classified
Magnesium Chloride	0.5-5.0%	7786-30-3	Not Classified
Calcium Chloride	0.5-5.0%	10043-52-4	Eye Irrit. 2A, H319
Calcium Magnesium Acetate (CMA)	< 5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332; Eye Irrit. 2B, H320
Product may contain color indicator			

# **Section 4: First-Aid Measures**

### **Description of First Aid Measures**

General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep
Inhalation	at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
	Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at
Skin Contact	least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Most Importan	t Symptoms and Effects Both Acute and Delayed
General	Dust may cause mechanical irritation to eyes, nose, throat, and lungs
Inhalation	Prolonged contact with large amounts of dust may cause mechanical irritation.
Skin Contact	Skin contact with large amounts of dust may cause mechanical irritation.
Eye Contact	Contact may cause irritation due to mechanical abrasion
Ingestion	Ingestion is not likely to be harmful or have adverse effects

Page 1

Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and lungs.

Chronic Symptoms

Other

Not available

### **Section 5: Fire-Fighting Measures**

Suitable Extinguishing Media:Use extinguishing media appropriate for surrounding fire.Unsuitable Extinguishing Media:Do not use a heavy water stream. Use of heavy stream of water may spread<br/>fire.Fire Hazard:Not considered flammable but may burn at high temperatures.Explosion Hazard:Product is not explosive.Reactivity:When heated to decomposition, emits toxic fumes. Toxic Gas.Hazardous Combustion Products:Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine.Other Information:Do not allow run-off from firefighting to enter drains or water courses.

### Section 6: Accidental Release Measures

Personal Precautions	Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.	
Protective Equipment:	Use appropriate personal protection equipment (PPE).	
Environmental Precautions:	Prevent entry to sewers and public waters. Avoid release to the environment.	
	Clear up spills immediately and dispose of waste safely. Recover the product	
Methods for Cleaning Up:	by vacuuming, shoveling or sweeping. Contact competent authorities after a	

### Section 7: Handling And Storage

spill.

### **Precautions for Safe Handling**

Additional Hazards When Processed	When heated to decomposition, emits toxic fumes. Contact with water causes an exothermic heat reaction, which may cause significant temperature rise. Corrosive to metals upon prolonged contact. May release hydrogen gas on prolonged contact with certain metals.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.
Conditions for Safe Ste	orage, Including Any Incompatibilities
Technical Measures	Comply with applicable regulations
Storage Conditions	Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, and incompatible materials.
Incompatible Materials	Strong acids. Strong bases. Strong oxidizers.

### **Section 8: Exposure Controls/Personal Protection**

Control ParametersNo Occupational Exposure Limits (OELs) have been established for this product or<br/>its chemical components.<br/>Emergency eye wash fountains and safety showers should be available in the<br/>immediate vicinity of any potential exposure. Ensure all national/local regulations<br/>are observed. Ensure adequate ventilation, especially in confined areas

#### Personal Protective Equipment

Materials for Protective Clothing: Hand Protection: Eye Protection: Skin and Body Protection: Respiratory Protection: Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.



Chemically resistant materials and fabrics.

Wear chemically resistant protective gloves. Chemical goggles or face shield. Wear suitable protective clothing. Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations are expected to exceed exposure limits.

### Section 9: Physical And Chemical Properties

### Physical State Appearance Odor Vapour Pressure (mm Hg at 20°C) Vapour Density (Air = 1.0) Bulk Density Solubility in Water Specific Gravity (gm/cc, Water = 1.0) % Volatile by Volume Boiling Point Melting Point Coefficient of Water/Oil Distribution pH

Solid Green colored granules Odorless Not available Not available Not available Water Soluble Not available Not available Not available Not available 10 (1% solution @ 20°C)

### Section 10: Stability And Reactivity

Chemical Stability:	Stable under normal conditions.	
Reactivity:	When heated to decomposition, emits toxic fumes. Toxic Gas.	
Possibility of Hazardous Reactions:	Polymerization occurs with calcium chloride when mixed with methyl vinyl ether.	
Conditions to Avoid:	Direct sunlight. Extremely high or low temperatures. Incompatible materials.	
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers. Reactive metals.	
Hazardous Decomposition	Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of	
Products:	magnesium. Oxides of calcium.	

### **Section 11: Toxicological Information**

Acute Toxicity: LD50 and LC50 Data: Skin Corrosion/Irritation: Serious Eye Damage/Irritation: Respiratory or Skin Sensitization: Germ Cell Mutagenicity: Teratogenicity: Not classified Not available Not classified Not classified Not classified Not classified Not available

Carcinogenicity:	Not classified
Specific Target Organ Toxicity (Repeated Exposure):	Not classified
Reproductive Toxicity:	Not classified
Specific Target Organ Toxicity (Single Exposure):	Not classified
Aspiration Hazard:	Not classified
Information on Toxicological Effects - Ingredient(s)	

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
Sodium chioride (7647-14-5)	LC50 Inhalation Rat	> 42 g/m <sup>3</sup> (Exposure time: 1 h)
Calcium Chloride (10043-52-4)	LD50 Oral Rat	1455-2781 mg/kg
Calcium Chioride (10043-52-4)	LD50 Dermal Rabbit	> 5000 mg/kg
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m <sup>3</sup> (Exposure time: 4 h)

# Section 12: Ecological Information

Toxicity	No additional information available	
Sodium chloride (7647-14-5)		
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

### Calcium Chloride (10043-52-4)

LC50 Fish 1	10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1 2400 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

### Persistence and degradability Not available

Bio accumulative potential			
Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)	
Calcium chloride (10043-52-4)	BCF Fish 1	(no bioaccumulation)	

**Mobility in Soil** 

**Other Information** 

Not available

Avoid release to the environment

### **Section 13: Disposal Considerations**

Waste Disposal Recommendations Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

### Section 14: Transport Information

In Accordance with DOT In Accordance with IMDG In Accordance with IATA In Accordance with TDG Not regulated for transport Not regulated for transport Not regulated for transport Not regulated for transport

# **Section 15: Regulatory Information**

#### **US Federal Regulations**

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Calcium chloride (10043-52-4)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Canadian Regulations**

Page 4

MELT Eco Clean Blend	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Calcium chloride (10043-52-4)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Magnesium Chloride (7786-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

	Section 16: Other Information
Other Information:	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
Effective Date:	April 4, 2022
Version	2
guarantee is made to its accura	of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or cy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability the information to its employees or customers. Snow Joe does not accept responsibility for any loss or damage, which may mation.

Page 5