

FISUPPLYAID Hand Sanitizing Wipes

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Issue date: 09/07/2020 Revision date: 09/07/2020 Version: 1.0

SECTION 1: Identification

Identification

Product form : Mixture

Trade name : Hand Sanitizing Wipes (RRS-SW80-4PK)

Recommended use and restrictions on use 1.2.

Use of the substance/mixture : For hand sanitizing to decrease bacteria when soap and water are not available.

Restrictions on use : No information available

Company name

SUPPLYAID RAPID RESPONSE LLC

1.4. **Emergency telephone number**

025-58638291

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS US classification

Flammable solids, Category 1 Flammable solid.

GHS Label elements, including precautionary statements 2.2.

GHS US labelling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Flammable solid.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use media other than water to extinguish.

Other hazards which do not result in classification

Other hazards not contributing to the : No information available.

classification

Unknown acute toxicity (GHS US)

Not applicable

2.4.

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	% (v/v)
Ethyl alcohol	(CAS-No.) 64-17-5	80
Water(aqua)	(CAS-No.) 7732-18-5	19.0293
Glycerol	(CAS-No.) 56-81-5	0.7

09/07/2020 EN (English) Page 1

Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Name	Product identifier	% (v/v)
Trolamine	(CAS-No.) 102-71-6	0.2
Aloe extract	(CAS-No.) 85507-69-3	0.07
Denatonium	(CAS-No.) 3734-33-6	0.0005
Sodium hyaluronate	(CAS-No.) 9067-32-7	0.0002

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

I.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical

advice

First-aid measures after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use. First-aid measures after eye contact : Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Most Important Symptoms/Effects : No information available.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : No information available.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable solid.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with eyes. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, hot

surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container

and receiving equipment.

Hygiene measures : Keep away from naked flames/heat

09/07/2020 EN (English) 2/10

Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Store in a dry place. Keep container tightly closed.

Protect from sunlight. Keep away from ignition sources.

Incompatible materials : Combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hand Sanitizing Wipes					
No additional information available					
Ethyl alcohol (64-17-5)					
USA - ACGIH - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits				
ACGIH STEL (ppm)	1000 ppm				
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans				
USA - OSHA - Occupational Exposure Limits					
OSHA PEL (TWA) (mg/m³)	1900 mg/m³				
OSHA PEL (TWA) (ppm)	1000 ppm				
USA - IDLH - Occupational Exposure Limits					
US IDLH (ppm)	3300 ppm (10% LEL)				
USA - NIOSH - Occupational Exposure Limits					
NIOSH REL (TWA) (mg/m³)	1900 mg/m³				
NIOSH REL (TWA) [ppm] 1000 ppm					
Glycerol (56-81-5)					
USA - OSHA - Occupational Exposure Limits					
OSHA PEL (TWA) (mg/m³)	15 mg/m³ (mist, total particulate) 5 mg/m³ (mist, respirable fraction)				
Aloe extract (85507-69-3)					
No additional information available					
Sodium hyaluronate (9067-32-7)					
No additional information available					
Trolamine (102-71-6)					
USA - ACGIH - Occupational Exposure Limits					
ACGIH TWA (mg/m³)	5 mg/m³				
Denatonium (3734-33-6)					
No additional information available					
Water(aqua) (7732-18-5)					
No additional information available					

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

No special protection required

Eye protection:

No particular/specific measures required

Skin and body protection:

No special protection required

Respiratory protection:

09/07/2020 EN (English) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

==SUPPLYAID

No special protection required

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : White

Odour Alcohol inherent odour Odour threshold : No data available рΗ : No data available Melting point : No data available Freezing point : Not applicable Boiling point No data available Flash point : Not applicable Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Flammable solid. Vapour pressure : No data available Relative vapour density at 20 °C No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable : No data available Decomposition temperature : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive limits Not applicable Explosive properties : No data available

9.2. Other information

Oxidising properties

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable solid.

: No data available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethyl alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	

09/07/2020 EN (English) 4/10





Ethyl alcohol (64-17-5)					
IARC group	1 - Carcinogenic to humans				
In OSHA Hazard Communication Carcinogen list	Yes				
Aloe extract (85507-69-3)					
National Toxicity Program (NTP) Status Evidence of Carcinogenicity					
Trolamine (102-71-6)					
IARC group	3 - Not classifiable				
Reproductive toxicity	: Not classified				

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

: Not classified Aspiration hazard Viscosity, kinematic : No data available

SECTION 12: Ecological information

12.1		To	rici	itv
14.	1.	10,	CIC	ıLy

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ethyl alcohol (64-17-5)			
LC50 fish 1	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
Glycerol (56-81-5)			
LC50 fish 1	51 – 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		

09/07/2020 EN (English) 5/10

Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Trolamine (102-71-6)	
LC50 fish 1	10600 – 13000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	> 1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Ethyl alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow) -0.32			
Glycerol (56-81-5)			
BCF fish 1	(no bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow) -1.76			
T 1 : (100 T1 0)			

Trolamine (102-71-6)		
BCF fish 1	< 3.9	
Partition coefficient n-octanol/water (Log Pow)	-2.53	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3175 Solids containing flammable liquid, n.o.s., 4.1, II

UN-No.(DOT) : UN3175

Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s.

Class (DOT) : 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 4.1 - Flammable solid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 212 DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Symbols : G - Identifies PSN requiring a technical name

09/07/2020 EN (English) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

DOT Special Provisions (49 CFR 172.102)

: 47 - Mixtures of solids that are not subject to this subchapter and flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Except when the liquids are fully absorbed in solid material contained in sealed bags, each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. Small inner packagings consisting of sealed packets containing less than 10 mL of a Class 3 liquid in Packing Group II or III absorbed into a solid material are not subject to this subchapter provided there is no free liquid in the packet.

:=SUPPLY4ID

IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport.

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 151

DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg

CFR 175.75)

DOT Vessel Stowage Location

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

Emergency Response Guide (ERG) Number : 133

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II

UN-No. (TDG) : UN3175

Proper Shipping Name (Transportation of

Dangerous Goods)

: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

TDG Primary Hazard Classes : 4.1 - Class 4.1 - Flammable Solids

Packing group : II - Medium Danger

09/07/2020 EN (English) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

==SUPPLYAID

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or

(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 56 - (1) When solids that are not dangerous goods, and liquids included in Class 3, Flammable Liquids, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 4.1, Flammable Solids, first being

(a) there is no visible liquid at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and

(b) each means of containment is leakproof.

(2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to a sealed packet or article containing less than 10 mL of dangerous goods included in Class 3, Flammable Liquids,

packing group II or III, if there is no free liquid in the packet or article.

Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger : 15 kg

Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II

UN-No. (IMDG)

Proper Shipping Name (IMDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

Class (IMDG) : 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives

Packing group (IMDG) : II - substances presenting medium danger

Limited quantities (IMDG) : 1 kg

Air transport

Transport document description (IATA) : UN 3175 Solids containing flammable liquid, n.o.s. (Ethyl alcohol), 4.1, II

UN-No. (IATA) : 3175

Proper Shipping Name (IATA) : Solids containing flammable liquid, n.o.s.

Class (IATA) : 4.1 - Flammable solids Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Ethyl alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Glycerol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Trolamine (102-71-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Denatonium (3734-33-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

09/07/2020 EN (English) 8/10

Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Water(agua) (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

Glycerol (56-81-5)

Listed on the Canadian DSL (Domestic Substances List)

Aloe extract (85507-69-3)

Listed on the Canadian DSL (Domestic Substances List)

Sodium hyaluronate (9067-32-7)

Listed on the Canadian DSL (Domestic Substances List)

Trolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

Denatonium (3734-33-6)

Listed on the Canadian DSL (Domestic Substances List)

Water(aqua) (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Ethyl alcohol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Glycerol (56-81-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Aloe extract (85507-69-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Trolamine (102-71-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Denatonium (3734-33-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Water(aqua) (7732-18-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethyl alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Glycerol (56-81-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

09/07/2020 EN (English) 9/10

Safety Data Sheet



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Aloe extract (85507-69-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Sodium hyaluronate (9067-32-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Trolamine (102-71-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Denatonium (3734-33-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Water(aqua) (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Ethyl alcohol (64-17-5)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	Yes	No	No		

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations (According to HCS-2012 APPENDIX D TO §1910.1200)

Revision date : 09/07/2020

Data sources : Loli. ECHA reference.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

09/07/2020 EN (English) 10/10